

Three aluminium louvers are available in our series. Assembly method and design are characteristic shared by them all, in that blades are fixed automatically spaced out on the frame the the use of nylon spacers.

These spacers, positioned on the sides of the frame profile, hold the blades and also enclose the frame thereby keeping out water and dirt.



This system obviates the need for screws/rivets or expensive tool to fix the blades.

List of components for each louver:


- (P 124, P123,N 820)
- (P 129, P121,N 825)
- (P 101, P121,N 827)




Profiles and accessories



P 121
weight kg/m 0,690
(lb/ft 0,463)
bundle of 4 bars




P 129
weight kg/m 0,280
(lb/ft 0,188)
bundle of 20 bars




N 825
box of 100 pc.


3D representation




Profiles and accessories




P 121
weight kg/m 0,690
(lb/ft 0,463)
bundle of 4 bars




P 101
weight kg/m 0,637
(lb/ft 0,427)
bundle of 10 bars




N 827
box of 100 pc.



3D representation




Profiles and accessories



P 123

weight kg/m 0,444
(lb/ft 3,208)
bundle of 12 bars




P 124

weight kg/m 0,343
(lb/ft 0,230)
bundle of 12 bars

P 122


weight kg/m 0,519
(lb/ft 0,348)
bundle of 6 bars

Nylon corners to reinforce
the **P 122** frame




N 810

box of 100 pc.




N 820

box of 100 pc.



Working
P 123

self-tapping screws
ATF 4,8 x 25



N 820

P 124

3D representation

